

10km optical module and 40



AI Overview

Optical modules for 10 km and 40 km differ in reach, wavelength, and application, with 10 km modules suited for short-range data center links and 40 km modules designed for extended-reach metro or backbone networks.

10 km Optical Modules
10 km modules are typically short-reach transceivers used in data centers or enterprise networks. Examples include:

- 100G CWDM Single Lambda 10 km:** Operates on wavelengths 1271, 1291, 1311, or 1331 nm, carrying 100 Gbps on a single optical lane using PAM4 modulation at 50 Gbaud. These modules often use a pair of CWDM transceivers with passive MUX/DEMUX to aggregate multiple channels over a single fiber pair, achieving up to 400 Gbps aggregate bandwidth.
- 10G SFP+ LR (10 km):** Uses 1310 nm wavelength over single-mode fiber (SMF), supporting 10 Gbps Ethernet. These modules are cost-effective for intra-data center or campus links. Applications: Short-distance interconnects, data center racks, and enterprise LANs where fiber loss is minimal and high-speed connectivity is required.

40 km Optical Modules
40 km modules are extended-reach transceivers designed for long-distance transmission over SMF. Key examples include:

- 10G SFP+ 40 km (10GBASE-ER):** Operates at 1550 nm, using duplex LC connectors, supporting Digital Optical Monitoring (DOM/DDM), and providing a link budget around 15 dB. Ideal for metro networks, enterprise backbones, and storage area networks.
- 100G QSFP28 40 km modules:** Variants like 100GBASE-ER4L or 100G OWDM support 40 km transmission at 1310 nm or O-band wavelengths, often with FEC enabled for reliable high-speed links. These modules are used in data center interconnects (DCI), metropolitan area networks, and telecom backbones.
- 10G SFP+ BiDi WDM 40 km:** Uses a single wavelength per fiber strand (e.g., 1270/1330 nm) with LC simplex connectors, allowing point-to-point connections over long distances without requiring additional fibers. Applications: Long-haul connections between data centers, metro networks,...

Article Content

Huawei 40G QSFP Switch Guide: CE6800 & CE12800 Specs

Compare Huawei CloudEngine 40G switches (CE6800, CE12800), QSFP+ module compatibility (SR4/LR4), and deployment guidance for AI-ready Ethernet fabrics.

Optical Transceiver Market Size, Growth Drivers

Optical Transceiver Market Size & Share Analysis - Growth Trends and Forecast (2026 - 2031) The Optical Transceiver Market Report is

400G Optical Modules Explained: SR4 Vs. DR4 Vs.

Key differences between SR4, DR4, FR4, and LR4 400G optical modules. Expert advice from Asterfusion engineers to optimize your data center

QSFP-40G-LR4 40Gbps QSFP+ Transceiver, SM,

The QSFP+ LR4 transceivers are high performance, cost effective modules supporting data rate of 40Gbps and 10km transmission distance with SMF.

Optical Fibre SFP Module for 5G Networks An SFP (Small Form-factor ...

Optical Fibre SFP Module for 5G Networks An SFP (Small Form-factor Pluggable) is a hot-swappable optical transceiver module that converts electrical signals into optical signals (and vice versa ...

Top Optical Modules for POTN Deployment: SFP, QSFP, and OSFP

Modern optical transport networks are the nervous system of digital infrastructure. As data demand continues to multiply, choosing the right optical module becomes a crucial decision in

40Gbps QSFP+ Optical Modules

1Gbps eSFP Optical Modules 10Gbps SFP+ Optical Modules 40Gbps QSFP+ Optical Modules 100Gbps QSFP28 Optical Modules Cables Hardware Installation Maintaining the Hardware

100G/400G Optical Transceiver

EXECUTIVE SUMMARYThis document serves as the definitive technical reference and product datasheet for the next-generation 100G/400G Optical Transceiver family. Designed to address the

25Gbps SFP28 BIDI Optical Module

Table 1-162 25Gbps-SFP28-SMF-1270nm (Tx)/1330nm (Rx)-10km-commercial specifications

10G BiDi SFP+ TX1550nm/RX1490nm 70KM LC Optical Transceiver

Get 10G BiDi SFP+ TX1550nm/RX1490nm 70KM LC Optical Transceiver from ETU-Link Technology CO.,LTD,we supply excellent SFP+ 10G BiDi 70KM SFP Module. Long using life,high

Cisco 10GBASE SFP+ Modules Data Sheet

Product overview The Cisco® 10GBASE SFP+ modules (Figure 1) give you a wide variety of 10 Gigabit Ethernet connectivity options for data center, enterprise wiring closet, and service provider transport

QSFP 40G LR4 Transceiver: 10km Single-Mode Optical Solution

This guide focuses on how QSFP 40G LR4 works, where it fits best, how it compares to other 40G QSFP options, and how to choose the right module for your network, with an emphasis on

Ubiquiti 100G LR4 Single-Mode Optical Module • QSFP28 •

Highlights: Maximale Datenrate: 100 Gbit/s Kompatibel mit QSFP28- und QSFP+-Schnittstellen Duplex LC UPC-Anschluss Unterstützt Singlemode-Glasfaserverbindungen bis zu 10 km* *Glasfaserkabel ist

40G QSFP+ 10~40km transceiver

The QSFP+ module is designed for use in 40GBASE Ethernet throughput up to 10km, 30km or 40km over single mode fiber (SMF) using a wavelength of

40GBASE-LR4 QSFP+ 10km OTU3 | €85 | EDGE

40GBASE-LR4 carries 40G across four CWDM lanes at 1271, 1291, 1311, and 1331 nm over a duplex LC single-mode pair to 10 km, defined in IEEE 802.3ba Clause

40G Optical Transceivers and Cables Portfolio | FS

The series of product adopts LC or MTP/MPO connector and operates over Single Mode or Multimode optical fiber. They can be used for connections from 150m up to 40km and are suitable for 40G

Cisco QSFP-40G-LR4 40Gbps Optical Module

Original Cisco QSFP-40G-LR4 optical transceiver for 40G Ethernet, 10KM reach with SMF, low 3.5W power consumption. Compliant with IEEE standards.

10GBASE-ER SFP+ 40km 1550nm | EDGE Optical

The 10G-SFP-40 is a 10GBASE-ER SFP+ module that extends 10 Gigabit Ethernet up to 40 km over single-mode fiber at 1550 nm.

What factors influence 400G optical transceiver

Discover the key factors that drive 400G optical transceiver pricing—from form-factor and component costs to market dynamics and sustainability.

10Gbps SFP+ Optical Module

Describes the chassis, power supply, fans, boards, optical modules, and power distribution box of the NetEngine 8000 M14K, M14, M8K, M8, M4, 8000E M14, M8.

Huawei Optical Modules and Cables

Buy Genuine Huawei Optical Modules and Cables from GenuineModules with best price and fast worldwide shipping.

QSFP+ 40G LR4 CWDM 10km SMF Optical

The 40Gbase LR4 optical module is designed to perform very well in applications that adhere to the IEEE 802.3ba, QSFP MSA, and 40GBASE-LR4 specifications.

40G QSFP+ Transceiver Modules | Optical Transceivers

FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing and data center applications. Click to get

SFP-10G-ER Explained: Powering 40km 10Gbps

This comprehensive guide dives deep into the SFP-10G-ER optical transceiver module. Learn its technical specifications, key applications,

Generic Compatible 100G QSFP28 LR4 10km

Buy Generic Compatible 100G QSFP28 LR4 10km Optical Transceiver from Manufacturer at Affordable Factory Price, 5-Year Warranty & Money-back

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.tomor.eu>

Email: info@tomor.eu

Phone: +49 69 2381 5497

Address: Am Hauptbahnhof 10, 60329 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

