

# Flame-retardant optical cable with tightly wrapped fiber adhesive sheath



## Overview

The FR-WTC-SWR incorporates the leading-edge SpiderWeb Ribbon technology in a robust, flame-retardant cable package that can be used within buildings and, because of the core water-blocking feature, can also be routed outside provided the cable is housed within covered pathway. The FR-WTC-SWR incorporates the leading-edge SpiderWeb Ribbon technology in a robust, flame-retardant cable package that can be used within buildings and, because of the core water-blocking feature, can also be routed outside provided the cable is housed within covered pathway. The cable has a design that ensures operation for more than 3 hours in fires up to 1000 °C. In addition, also with water spray and. ETK Kablo 's fire-resistant fiber optic cables ensure continuous data transmission during fire conditions, safeguarding critical communication lines when reliability is most crucial. The outer sheath is made from black UV-stabilized and weather resistant material which is SHF1 classified, and may be exposed for shorter periods to fluids such as diesel and mineral oils. The resistance to these. LSZH/Flame retardant RPVC as sheath fireflex cables are offered in either single core, multicore or multi-pair constructions. The insulation material can be elastomeric (EPR, SR), thermosetting (XLPE, LSZH) or thermoplastic (EVA, LSZH) to meet different stringent environment requirement. Offered in OM1, OM3 and OM4 multimode and OS2 singlemode, in 4, 8, 12 or 24 core fibre configurations. All feature a central loose tube construction and internal/external LSZH (Low Smoke Zero Halogen) sheath that also provides UV. Flame-retardant (FR) RIO Wrapping Tube Cable (WTC) with SpiderWeb Ribbon (SWR) is a high-density fiber optic ribbon cable intended for indoor/outdoor network applications where riser-rated products are required. 1 FIBER OPTIC CABLE Fiber Optic Cable © 2024, AFL, all rights reserved.

## Article Content

### Fire Resistant Fiber Optic Cable IEC60331-25

Cables standard: Application cable standards: ISO/IEC 11801, IEC 60794 and BS EN 50173-1 . Test standards: IEC 60794-1-21 and IEC 60794-1-22 Flame

### How To Choose Fiber Cable Outer Sheath Materials?

Choosing the appropriate outer sheath material for fiber optic cables is crucial for ensuring the cable's durability, protection, and performance under specific environmental conditions.

### 6 Fiber Cable Outer Sheath Materials and How To Choose?

LSZH LSZH (low smoke zero halogen) is a flame-retardant sheath material filled with inorganic fillers (aluminum hydroxide, magnesium hydroxide). The LSZH sheathed fiber optic cable

### Fire Resistant Tight Buffered Distribution Fiber Optic cables|Fireproof ...

This cables are used for interconnection of distribution boxes and end devices, where continued functionality is required during a fire situation. The cables are very suitable for various indoor and

### Indoor Tightly Wrapped Fibre Optic Cables GDX102,FR/PVC 02F~24F

Composed of multiple layers of small-diameter optical cables with outer sheaths, it is more suitable for branch installation or splicing. The outer sheath is made of PVC with excellent flame-retardant and

### Indoor Tightly Wrapped Fibre Optic Cables GDX201,FRNC/LSOH

Indoor optical cables are constructed by placing colored optical fiber cores within loose tubes, followed by the uniform release of multiple strands of aramid fibers for reinforcement, and finally extruding a

### FlameRetardant Wrapping Tube Cable WTC with

Flame-retardant (FR) Wrapping Tube Cable (WTC) with SpiderWeb Ribbon® (SWR®) is a high-density fiber optic ribbon cable intended for inside plant and

### Flame-retardant optical cable

These composite cables are specifically designed for radiation sensors and to withstand harsh environments encountered in nuclear power plants. These

### Fire-Resistant Optic Cable

Engineered for critical safety, this fire-resistant optic cable provides reliable data transmission in high-risk environments.

## Fiber Optic Cables

APPLICATION Optical cable for indoor and outdoor use in vital communication and emergency systems that need to be operational during fire. The cable has a design that ensures operation for more than

## Fiber Optic Cables

Armoured and Flame retardant optical fibre cable, AICI - code F104 NEK TS 606:2016 (available also in MUD protected version).

## Draka FT Fire Resistant Fibre Optic Armoured

4, 8, 12 & 24 Fibre Optic Cable OM3 multimode and OS2 singlemode, Loose Tube, Internal/External LSZH. Manufactured by Draka Using BendBright Technology.

## Advanced LAN Switches (ALS) Family

ARMOURED(CST) FIRE RESISTANT LSZH LOOSE TUBE FIBER OPTIC CABLE - IEC 60331 FTSF-FLTMZCZ(FR) Steel CSM, Mica Wrapped Jelly Filled Tube, Water Blocking Tape, LSZH Inner

## Flame Retardant Multi Loose Tube Fiber Optic cables

Reinforcement: Either aramid yarn or fiber glass is wound around the tube to provide physical protection and tensile strength, with added fire protection. Inner sheath (optional): The cable can be jacketed

## ADDISON flame Retardant Tight buffered Distribution fiber opti

thread. Reinforcement: Either aramid yarn or fiber glass is wound around the tube to provide physical protection and tensile strength, with added fire pro sheath. PE is the preferred option in outdoor

## Advanced LAN Switches (ALS) Family

ARMOURED(SWA) FIRE RESISTANT LSZH(SHF2) LOOSE TUBE FIBER OPTIC CABLE-IEC 60331 (UV RESISTANCE & ANTI-TERMITE) FTSF-FLTFMZSZ2(FRUVAT) FRP CSM, Mica Wrapped Jelly

## Recent Advances in Halogen-Free Flame Retardants for Polyolefin Cable ...

Thus, it is of great significance to carry out research on flame-retardant modification for cable sheath material to prevent fire accidents. With the continuous environmental concern, polyolefin (PO) is

## Draka FireTuf Fire Resistant Fibre Optic Cable

This FireTuf fibre range is fully compliant with fire resistant standards IEC 60331-25 and flame retardant standards IEC 60332-2-3-24C, guaranteeing the cables

## Harsh Environment Fiber Optic Cable Solutions for

Explore how to select the right fiber optic cable for challenging environments including high temperatures, extreme cold, salt spray, humidity,

Fire Resistant Fiber Optic Cables CPR B2ca | ETK Kablo

ETK Kablo's B2ca-classified fiber optic range provides low smoke emission, zero halogen content, and exceptional flame retardance. The design ensures data link continuity even during extended fire

Fire Resistant Optic Fiber Cables|Fireproof Cables

CABLE CONSTRUCTION fireflex cables are constructed in the following typical design:

1. Solid/stranded annealed copper conductor 2. Glass mica tape/silicone rubber as flame barrier 3. XLPE/silicone

Indoor/Outdoor Flame-Retardant RIO Wrapping Tube

Flame-retardant (FR) RIO Wrapping Tube Cable (WTC) with SpiderWeb Ribbon (SWR) is a high-density fiber optic ribbon cable intended for indoor/outdoor

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.tomor.eu>

Email: [info@tomor.eu](mailto:info@tomor.eu)

Phone: +49 69 2381 5497

Address: Am Hauptbahnhof 10, 60329 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

