

Standard mounting holes for a 1U chassis



Overview

A 1U device uses three vertically aligned mounting holes per side — typically spaced 1.75" apart (center-to-center), matching the U-unit grid. A rack unit (abbreviated U or RU) is a unit of measure defined as 1.75 inches (44.45 mm). It is most frequently used as a measurement of the overall height of 19-inch and 23-inch rack frames, as well as the height of equipment that mounts in these frames, whereby the height of the frame or. You'll get the precise, standardized dimensions of a 1U server rack unit — including height (44.45 mm), mounting hole spacing, and critical clearance allowances — plus actionable guidance on verifying physical fit, avoiding common installation errors, and selecting. dimensions, mounting inter th a typical depth r structural topology accommodates (hot-swappable AC/DC I cycling. V flows of 40–120 FM, depending on component mount itioned within 15 e manage ransceivers without ensioning measurements are Field rBefore installing system components, locate the hole pattern in the rack rails to allow adequate Unit height (U) of vertical space. 9 mm) of vertical space in your rack. Important: U describes height only, but a server's real "capabilities" are also determined by chassis depth, internal layout, airflow, rails, power, and expansion (PCIe/risers, NVMe).

Article Content

Server Rack Sizes: The Complete Guide to Standard,

Below is a comprehensive, fully detailed guide covering all standard server rack sizes, form factors, height considerations, depth classifications, and

What Are Server Rack U Sizes? A Practical Guide to Rack Unit

The Technical Definition A single rack unit (1U) equals exactly 1.75 inches —or 44.45 millimeters. This measurement refers to the vertical distance between the centerlines of two adjacent

Rack unit

Mounting holes A typical section of rack rail, showing rack unit distribution The mounting-hole distance (as shown to the right) differs for 19-inch racks and 23-inch racks: 19-inch racks use uneven spacings

10 Best Rackmount Workstation PCs for Video Production in 2026

1U chassis and 120W CPU limit may not suit very high-end multi-GPU builds Compatibility should be checked carefully before buying components This is a smart fit if you want rackmount

Avalon Design RM-1

Mounting Without Modifying the Chassis Two stainless steel rack ears attach to the sides of the unit using the included eight stainless steel screws, without drilling extra holes into the preamp chassis.

Rack Rail Hole Spacing Explained

Standard 19-inch racks use a specific hole pattern on the mounting rails. Holes are grouped in sets of three, with each group representing one Rack Unit, commonly

server rack mounting rails | Newegg

RackSolutions 1U Cobra 110-A Dry Slide Rail for Dell - Compatible with Dell PowerEdge 11th-14th Gen Servers - 2 Post and 4 Post Rack Mounting Type: Rack Rails Specification: Fits any 4Post rack

Rack Mount Positions and Hole Types

Rack cabinets that meet EIA-310 standards have an alternating pattern of three holes per rack unit. For the front and back vertical rails, the

Tripp Lite 4POSTRAILKITWM Tripp Lite 4-Post Rack-Mount Shelf Kit ...

The 4POSTRAILKITWM wall-mount rack shelf kit provides extra support for heavy UPS systems, PDUs or other rack-mount components that weigh 150 pounds or less. It includes two adjustable mounting

Enterprise Core Systems Engineering Reference Manual: 1U

CORE INTERNAL TOPOLOGY The mechanical architecture of the 1U chassis enforces a strict height envelope of 44.45 mm (1.75 inches), inclusive of the top cover, base casting, and any th a typical

METCASE''s COMBIMET 19-inch rack cases are quick and easy to

Inside, there are mounting holes in the base for PCBs and chassis, with M4 Earth studs on all panels for electrical continuity. Cases are supplied fully assembled. COMBIMET can be

What Is 1U Server Rack Size? Exact Dimensions in Inches & mm

Width includes ears — not chassis: The “19-inch” specification refers to the distance between the inner edges of mounting flanges (ears), not the device''s body width. A 1U server may be

Understanding Rack Units (U) in Server Racks [July 2026]

The mounting holes on rack rails are evenly spaced in groups of three — the total spacing for one U. This design makes it simple to align and

Rack Measurements - Tech On The Field

Much of the equipment we in IT work with is rack mounted. While there are a number of different types of racks and manufactures will put their own spin on

Rack Units (RU): Sizes, Standards & Uses 2026

So when you mount a 1U device, it lines up with a three-hole pattern spaced to fit its height perfectly. If you''re working with a standard 4-post or 2-post

What Is a 1U Server Rack Size? Exact Dimensions

A 1U server rack measures exactly 1.75 inches (44.45 mm) in height and fits standard 19-inch racks. Learn why equipment must stay **under** that

What are EIA Standards? And Where Do They Come From?

Rack Units (U) – hole spacing for standard racks on the mounting flange is spaced in groups of three holes. This three-hole group is defined as a Rack Unit (U). 1U is 1.75” (44.45 mm) of

1U Server Chassis (Full Metal Enclosure with Louvered Ventilation)

Professional 1U rackmount server chassis designed according to EIA-310 standards. Key Features: Standardization: Optimized for 19-inch rack cabinets with precise mounting ears for

Microsoft PowerPoint

Location Most rack mounts conform to the EIA 310-D (RETMA) standard, which provides mounting holes on two vertical support rails which are separated by 19" (480 mm). This standard provides separation

6 Best Rack Mount Rack Ears For Mounting Standard Chassis

Find the best rack mount rack ears for your standard chassis. Browse our top-rated selection and upgrade your server storage setup with confidence today.

1U vs 2U vs 4U Servers: What "U" Means & How to Choose in 2026

Learn what a rack unit (U) is, how 1U/2U/4U differ, and how to pick the right chassis height for disks, PCIe/GPU, noise,

1U Technical Specifications

The details of the panel hole spacing for the panels of 1U modules are given in the diagram below:

Data Center Rack Standards

Width: Standard 19 inches (483 mm), with front panel holes for mounting. Vertical Hole Spacing: 1U equals 1.75 inches (44.45 mm), with three-hole sets repeating

1U Rack U Rackmount Measurements | Comms

In the IT industry, the term "U" (or RU for Rack Unit) designates the vertical height of equipment designed to be mounted in a server rack or cabinet. This standard

MultipacPRO 19" Chassis, Aluminum, for Eurocards Assembly, 1 U,

This 19" chassis is a form of subrack which accepts horizontal board mounting or the mounting of non-standard components like transformers or other heavy load accessories typically mounted on a

Rack Handle Kits | Piton Engineering

Because the handle works with standard EIA-310 front panel mounting slots, it can be added to existing designs and products. Mounting holes required. Easily

Rack Mounting FAQ

Rack mounting rails without pre-defined mounting positions are available as extruded aluminum profiles. Also, popular structural framing systems "T-Slot"

Rackmount Sliding Rails

Buy Rackmount Sliding Rails - Kit for 1U-4U Chassis (Adjustable 26" to 40" Depth) 2 or 4 Post Mount Sliders for Server Case (Compatible with Any Standard Rack, Cabinet, Computer Enclosure) TP1812

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.tomor.eu>

Email: info@tomor.eu

Phone: +49 69 2381 5497

Address: Am Hauptbahnhof 10, 60329 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

